



CREATING A CLEANER, SAFER, HEALTHIER WORLD.

EQUIPMENT



# ATLV<sup>®</sup> 4300

## ALL-TERRAIN LITTER VACUUM

- Improves the image and health of your community with superior litter pickup
- Increases productivity by adapting to all terrains
- Ensures operator safety with stable, low-center-of-gravity design



## THE **SAFE AND EFFICIENT** SOLUTION FOR ALL-TERRAIN, OUTDOOR SWEEPING



Tennant built the ATLV® 4300 to tackle real-world operating conditions. Whether climbing over curbs, navigating hills or cleaning along fence lines, the rugged ATLV 4300 delivers. The ATLV keeps all your outdoor surfaces clean. From asphalt and concrete to turf and grass, you'll always make a good first impression.

### **IMPROVE THE IMAGE AND HEALTH OF YOUR COMMUNITY**

The high-performance vacuuming power of the ATLV, complemented by its long-arm vacuum, allterrain tires and curb climbing ability, keep grassy grounds, parking lots, fence lines and shrub beds free of trash, cigarette butts, bottles and more.


### **MAXIMISE PRODUCTIVITY**

Easy-to-use features require less training time, so operators get out and cleaning more quickly. During operation, a quick peak through canister portholes reveals the debris level in the ATLV's unmatched, extra large capacity hopper. Operators effectively clean longer between stops, knowing that the top-mounted vacuum fan continually provides unrestricted airflow. Empties go smoothly with the wide-angle, tilt-out litter tank for easy access debris removal.

### **RELY ON SAFE, STABLE OPERATION**

Clean with confidence knowing that the ATLV provides safe, stable operation with its low center of gravity design, highly effective disk brakes and standard rollover protection system.

# INSIDE THE ATLV 4300



## LONG-LASTING AND DURABLE

A corrosion-resistant polyethylene canister with optional bagless liners, as well as the self-cleaning impeller inlet screen, keeps the ATLV cleaning and looking better longer.

## MUST-HAVE OPTIONS

### Extend your cleaning reach

Access the vacuum hose for additional cleaning reach with the optional fenceline nozzle.

### Control dust

Water assisted dust control configurations help contain air-borne dust.

### Make cleaning comfortable

Add a ROPS certified cabin for comfort from the elements.

- A** **Four all-terrain tires** maximise mobility and minimize ground compaction.
- B** **Easy cleanout**, quick access, swing out hydraulic cooler.
- C** **Debris container** uses standard, off-the-shelf trash bags for lower supply costs. Container tilts out for easy cleaning.
- D** **Top-mounted vacuum fan design** ensures debris will not go through the vacuum fan.

- E** **ROPS certified overhead bar** provides operator protection from rollovers.
- F** **Ergonomic design** includes power/tilt steering and the easy-access vacuum hose.
- G** **Adjustable vacuum hose** can be repositioned for easy litter pick up.
- H** **High ground clearance** accommodates uneven terrain and street curbs.



## ENVIRONMENTAL STEWARDSHIP



ec-H2O and FaST technologies are NFSI (National Floor Safety Institute) Certified. NFSI certification ensures a product has passed a 2-phase testing process, proving the floor product helps to reduce potential for slip-and-fall accidents.



ec-H2O and FaST technologies are registered by NSF International. NSF International is an independent, not-for-profit organisation that ensures formulation and labels on these products meet appropriate food safety regulations.



Tennant FaST 365 and FaST 965 detergents have been awarded the European Eco-label.

This proves that our Tennant FaST® detergents have a reduced environmental impact compared to standard detergents



ec-H2O™ technology won the European Business Award 2009

for the Business Innovation of the Year, one of the most prestigious business awards. The European Business Awards ([www.businessawardseurope.com](http://www.businessawardseurope.com)) is an independent awards programme designed to recognise and promote excellence, best practice and innovation in the European business community.



Conserve Resources



Reduce Detergents



Increase Safety



Improve Air Quality



Reduce Noise

## GENUINE TENNANT PARTS, SUPPLIES AND SERVICE

### Tennant Service Offering

- Maximise safety, productivity and uptime
- Control and protect your investment and lower your total cost of ownership
- Benefit from over 200 factory-trained service technicians across Europe

### Tennant Parts & Supplies

- Operate your machine with confidence
- Benefit from years of worry-free operation

### Tennant Cleaning Solutions

- Further your sustainable cleaning goals
- Choose sustainable benefits your company wants

## ATLV® 4300 ALL TERRAIN LITTER VACUUM

### VACUUM SYSTEM

Type  
Time required to cover a football field  
Debris hopper  
Volume capacity  
Bag capacity-each  
Bag size

### VACUUM NOZZLE

vacuum nozzle  
1/2-hour  
416 L  
208 L  
1.120 X 1.400 mm

### VACUUM SYSTEM

Nozzle size (diameter)  
Vacuum fan (diameter)  
Vacuum width

200 mm  
430 mm  
1200 mm

### PROPELLING SYSTEM

Propel speed forward (variable to)  
Propel speed forward (variable to)  
Propel motor  
Diesel, liquid cooled Kubota @3000rpm  
Type  
Motors  
Hydraulic  
Pumps  
Oil cooler  
Gradeability  
Full & empty hopper

26,0 km/h  
8,0 km/h  
28 kW  
Hydrostatic  
Both rear wheels  
1 propelling, 1 accessory  
Fin type  
12.0 deg / 21%

### MACHINE SPECIFICATIONS

Length  
Width  
Height  
Weight-net base machine  
Turning radius

2.590 mm  
1.170 mm  
2.130 mm  
844 kg  
460 mm

### OPTIONAL EQUIPMENTS

Customised colour  
Wander Wand  
Vario Brush  
Wet dust control  
Cabine ROPS & Weather package  
Spark arrestor

For more options or accessories please contact your local Tennant representative

### WARRANTY

See your local representative for warranty information

Specifications subject to change without notice.

## SEEING IS BELIEVING

For a demonstration or additional information contact us:

### TENNANT UK CLEANING SOLUTIONS LTD

Gladstone Road  
Northampton NN5 7RX  
UNITED KINGDOM  
Tel: 0800 111 4402 (local rate UK only)  
Tel: 01604 583191  
Fax: 0845 052 9349  
E-mail: [sales.uk@tennantco.com](mailto:sales.uk@tennantco.com)  
E-mail: [enquiries@tennantco.com](mailto:enquiries@tennantco.com)

### TCS EMEA GmbH

Sommerfeld 1  
5202 Neumarkt am Wallersee  
AUSTRIA  
Tel: +43 (0)6216 4524 & 4525  
Fax: +43 (0)6216 4524 20  
E-mail: [office@tennant-cee.com](mailto:office@tennant-cee.com)

### TENNANT EUROPE NV

Roderveldlaan 3  
2600 Antwerp  
BELGIUM  
Tel: +32 3 217 94 11  
Fax: +32 3 217 94 19  
E-mail: [europe@tennantco.com](mailto:europe@tennantco.com)