

CREATING A CLEANER, SAFER, HEALTHIER WORLD.





COMPACT BATTERY WALK-BEHIND SWEEPER

- Experience maximum productivity and debris pick-up with TwinMax[™] sweeping technology
- Clean under objects and in hard-to-reach areas with compact, low profile design to maneuver easily around racks and shelves
- Rely on quality construction with durable components that have been field-proven in commercial applications

SWEEP SMARTER, NOT HARDER WITH THE TENNANT S-SERIES SWEEPERS.



COMPACT, MANEUVERABLE DESIGN

The S5's 24 in / 620 mm sweeping path is perfect for tight spaces and sweeping around clothing racks or retail displays.

VERSATILE ANYTIME, ANYWHERE CLEANING

The S5's flexible design is well suited for indoor and outdoor cleaning on hard and soft floor surfaces. Battery operation and brush assist makes cleaning simple anytime, anywhere.

RELY ON QUALITY CONSTRUCTION AND PROVEN COMPONENTS

Major components field-proven in commercial applications for 10 years. Durable roto-molded design is backed by a 10 year, Tennant *True*[®] warranty, and side brush protected by brush bumper.

SMART, INTUITIVE DESIGN

Increase productivity with simple, no-tool side brush adjustments and easy-to-use operation for less time training and more time cleaning. The sweeper's adjustable, ergonomically designed handle makes operator comfort a priority.

INSIDE THE

S5



F

 Adjustable, ergonomically designed handle increases operator comfort.
 No-tool, fully adjustable side brush

cleans corners and edges easily. Increased cleaning path coverage increases productivity and can be adjusted to your floor surface for optimal cleaning.

Constant broom drive with brush assist makes sweeping quick and easy.

Tennant *True*[®] brushes are designed to fit your machine and deliver optimal cleaning performance. Chevron bristle pattern and TwinMax technology work together to pick up more debris in a single pass.

Easy-to-remove, 1.3 ft³ / 37 L hopper simplifies the cleaning process and increases operator productivity.

Sealed, maintenance-free batteries make owning an S5 simple and safe.

TWINMAX™ SWEEPING TECHNOLOGY

Equipped with Tennant's TwinMax sweeping technology, the S5 cleans your floors in a single pass. The twin, counterrotating brushes combine overthrow and direct sweeping principles to capture large and small debris with one machine.



TwinMax technology is designed for sweeping multiple surfaces in both indoor and outdoor environments, giving you maximum versatility for anytime, anywhere cleaning.



TENNANT*TRUE®* PARTS, SERVICE AND FINANCE SOLUTIONS

- Reduce rework, labor and safety costs by using only Tennant *True* parts and service.
- Ensure optimal cleaning performance by selecting a Tennant *True* Service program provided by a network of over 400 factory-trained Tennant service representatives.
- Improve uptime by leveraging Tennant*True* parts and service.
- Simplify budgeting by bundling Tennant*True* service plans, including parts, into the purchase or financing of your machine.

S5 COMPACT BATTERY WALK-BEHIND SWEEPER

Productivity Practical (per ISSA 540 cleaning times) 13,850 ft²/hr / 1,290 m²/hr BRUSH DRIVE SYSTEM Brush speed 390 rpm Main brush length 16 in / 400 mm Side brush diameter 12 in / 300 mm Debris hopper volume capacity 1.3 ft³ / 37 L Power transmission Maintenance-free, high-performance belt drive POWER SYSTEM Battery type 12 V Gel Charger 0n board DUST CONTROL SYSTEM Filtration type 99.97 @ .3 microns Filtra area 13 ft² / 1.2 m² MACHINE SPECIFICATIONS Length 36.3 in / 923 mm Width 25.5 in / 650 mm Height 22 in / 557 mm Weight With battery 121 lb / 55 kg Without battery 88 lb / 40kg	SWEEPING SYSTEM	
Brush speed 390 rpm Main brush length 16 in / 400 mm Side brush diameter 12 in / 300 mm Debris hopper volume capacity 1.3 ft ³ / 37 L Power transmission Maintenance-free, high-performance belt drive POWER SYSTEM 12 V Gel Battery type 12 V Gel Charger On board DUST CONTROL SYSTEM 99.97 @ .3 microns Filtration type 99.97 @ .3 microns Filter area 13 ft² / 1.2 m² MACHINE SPECIFICATIONS 36.3 in / 923 mm Length 36.3 in / 923 mm Width 25.5 in / 650 mm Height 22 in / 557 mm Weight 121 lb / 55 kg With battery 88 lb / 40kg	Cleaning path Productivity Practical (per ISSA 540 cleaning times)	
Main brush length16 in / 400 mmSide brush diameter12 in / 300 mmDebris hopper volume capacity1.3 ft³ / 37 LPower transmissionMaintenance-free, high-performance belt drivePOWER SYSTEMBattery type12 V Gel On boardOUST CONTROL SYSTEMFiltration type99.97 @ .3 microns 13 ft² / 1.2 m²Filtration type99.97 @ .3 microns HeightLength36.3 in / 923 mm 25.5 in / 650 mm HeightWith battery121 lb / 55 kg Without batteryWithout battery88 lb / 40kg	BRUSH DRIVE SYSTEM	
Battery type 12 V Gel Charger 0n board DUST CONTROL SYSTEM Filtration type 99.97 @ .3 microns Filter area 13 ft² / 1.2 m² MACHINE SPECIFICATIONS Length 36.3 in / 923 mm Width 25.5 in / 650 mm Height 22 in / 557 mm Weight With battery 121 lb / 55 kg Without battery 88 lb / 40kg	Brush speed Main brush length Side brush diameter Debris hopper volume capacity Power transmission	16 in / 400 mm 12 in / 300 mm 1.3 ft³ / 37 L
Charger On board DUST CONTROL SYSTEM Filtration type 99.97 @ .3 microns Filter area 13 ft² / 1.2 m² MACHINE SPECIFICATIONS Length 36.3 in / 923 mm Width 25.5 in / 650 mm Height 22 in / 557 mm Weight With battery 121 lb / 55 kg Without battery 88 lb / 40kg		121/01
Filtration type 99.97 @ .3 microns Filter area 13 ft² / 1.2 m² MACHINE SPECIFICATIONS Length 36.3 in / 923 mm Width 25.5 in / 650 mm Height 22 in / 557 mm Weight With battery 121 lb / 55 kg Without battery 88 lb / 40kg	Charger	
Filter area 13 ft² / 1.2 m² MACHINE SPECIFICATIONS Length 36.3 in / 923 mm Width 25.5 in / 650 mm Height 22 in / 557 mm Weight With battery 121 lb / 55 kg Without battery 88 lb / 40kg	DUST CONTROL SYSTEM	
Length 36.3 in / 923 mm Width 25.5 in / 650 mm Height 22 in / 557 mm With battery 121 lb / 55 kg Without battery 88 lb / 40kg	Filtration type Filter area	
Width 25.5 in / 650 mm Height 22 in / 557 mm Weight 121 lb / 55 kg With battery 121 lb / 55 kg Without battery 88 lb / 40kg	MACHINE SPECIFICATIONS	
		25.5 in / 650 mm 22 in / 557 mm 121 lb / 55 kg 88 lb / 40kg
WARRANTY	WARRANTY	

See your local representative for warranty information

Specifications subject to change without notice.

Choose GE Capital or U.S. Bancorp, our leasing providers, for simple, quick financing with flexible upgrade options.

SEEING IS BELIEVING

For a demonstration or additional information, call +1.800.553.8033 or email info@tennantco.com

1.052.001.am.en S5 Brochure 6/13 ©2013 The Tennant Company logo and other trademarks designated with the symbol "®" are trademarks of Tennant Company registered in the United States and/or other countries. Tennant Company's products are sold and serviced through subsidiaries of Tennant Company and distributors. All rights reserved. Tennant 701 North Lilac Drive Minneapolis, MN 55422 USA

USA/Canada: +1.800.553.8033 Quebec: +1.800.361.9050 Overseas: +1.763.540.1315

www.tennantco.com info@tennantco.com